

HAND FEEDING FORMULA SELECTOR

Early-age hand-feeding formulas

1st phase
Crop milk

2nd phase
Neonatal

Follow-on hand-feeding formulas

From hatching until the 5th-9th day of life (depending on the species).

From the 5th-9th day of life (depending on the species) until the moment feathers begin to emerge.*

From the moment pin feathers begin to emerge until weaning.



Psittacus / Ara
Poicephalus
Pionites melanocephalus



Anodorhynchus hyacinthinus
Probosciger aterrinus
Guaruba guarouba
Ara chloroptera
Ara ambiguus



Amazona
Ficus menstruus
Psittacula



Eolophus
Cacatua



Aratinga / Eolophus
Agapornis / Platycercus
Neophema / Nymphicus
Melospittacus



*Longer transition

Early-age hand-feeding formulas

1st phase
Crop milk

2nd phase
Neonatal

Follow-on hand-feeding formulas

From hatching until the 5th-9th day of life (depending on the species).

From the 5th-9th day of life (depending on the species) until the moment feathers begin to emerge.*

From the moment pin feathers begin to emerge until weaning.



Psittacula
Aratinga
Myiopsitta monachus




Pionites leucogaster
Pyrhura



Eclectus



Lorini Tribe



Early-age 1st phase - Crop milk formulas
Early-age 2nd phase - Neonatal formulas
Follow-on hand-feeding formulas

