

## Lory Gel Specific Bird Food

### Use

This product is a complete food intended for adult parrots of the subfamily Loriinae (lories and lorikeets). It contains highly digestible ingredients, specific to the Loriinae diet to achieve the maximum quality and palatability. We recommend providing Lory Gel and Lory Nectar simultaneously. In conjunction, both products are able to cover properly the particular nutritional needs of different lory species in every moment, regulating themselves the ingest of each product.

### Directions for use

It is advisable to provide this Lory Gel simultaneously with Lory Nectar in different feeders. These products will be preferably supplied in dry form, but it can be provided mixed with water until a creamy texture.

It is important to clean out the feeders daily. In warm environments, the product should be renewed more than once a day if it is diluted with water.

We recommend supplementing the diet with fresh fruit daily.

No vitamin or mineral supplements should be given to parrots whose basic diet is Lory Gel and Lory Nectar.



### Daily intake

Bird consumption varies between 7-10g of dried gel and nectar per 100g of body weight.

### Composition

Fructose, cereal grains, products and by-products of oil seeds and fruits, vegetable oils, pollen, products and by-products of cereal grains, legume seeds, minerals, products and by-products of tubers and roots, dried hibiscus flower, dried whole egg, dried brewer's yeast, inulin (0,05%)

### Additives

Mixture of flavouring compounds (contains *Yucca schidigera* extract 0,015%); *Rosmarinus officinalis* extract; *Tagetes erecta* extract / Sepiolite / Tocopherol-rich extracts of natural origin, palmitoyl-6-ascorbic acid / Compounds of trace elements (ferrous chelate, cupric chelate, manganese chelate, zinc chelate; calcium iodate anhydrous and hydroxy-analogue of selenomethionine) / Vitamins, pro-vitamins and chemically well-defined substances having similar effects (A, D3, E, C, K, B1, B2, B6, B12, Pantothenic acid, Niacin, Folic acid, Biotin, Choline chloride, B-carotene, Betaine anhydrous)

### Analytical constituents

Moisture 7,0%, Crude protein 17,0%, Crude oils and fats 8,0%, Crude cellulose 3,4%, Crude ash 3,9%

### Package sizes

1 kg / 5 kg bags

